



Advanced Acoustics Hokusai Acoustic Panel

Data Sheet

Individual Acoustic Panel Size (overall)	26 ¾" x 47 ¼" (68cm x 120cm)
Quantity Of Acoustic Panels Per Box	1
Total Area Covered Per Panel (overall)	8.77ft ² (0.816m ²)
Acoustic Panel Thickness	1 ¼" (32mm)
Noise Reduction Coefficient (NRC)	0.75
Acoustic Panel Colour	Choice of 60 colours
Acoustic Foam Density	90 kg/m ³
Acoustic Foam Composition	Open Cell Polyurethane Acoustic Foam
Fire Classification	Surface Spread of Flame - Class '1' (BS 476 pt 7) Building Regs. 1991 (Fire Safety) - Class '0' (BS 467 pt 6 & pt 7)
Panel Description	Shaped acoustic foam panel wrapped in a open weave polyester cloth.
Fabric Composition	100% recycled Flame retardant Polyester. Non metallic dyestuffs
Abrasion Resistance	10 year guarantee / 100,000 Martindale cycles
Light Fastness	6 (ISO 105 – B02:2013)
Fastness To Rubbing	Wet: 4, Dry: 4 (ISO 105 – X12:2002)
Cleaning	Washable to 60°C. Wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo
Mounting Options	Mirror Plate – For wall or ceiling installation

Description


Being 68cm tall and 120cm wide these Hokusai Acoustic Panels are certainly big enough to make a big statement. Hokusai refers to the Japanese artist Katsushika Hokusai. Being a painter and a printmaker he became famous for his obsessive interpretations of Japanese nature. With good colour choice you can add a real perception depth and character to an otherwise bland wall. These panels provide a bold statement of introduction to any that come into the room for the first time.

The Hokusai Acoustic Panels are suitable for use in the commercial sector for acoustically treating offices, meeting rooms, teleconference rooms, videoconference rooms and boardrooms. They are also suitable for




use in the education sector for treating classrooms, dining halls, assembly halls and lecture theatres. These acoustic panels will reduce reverberation and echo and thus improve speech intelligibility. Once the acoustic panels are installed you will have a space that is more comfortable to work or learn in resulting in greater productivity from your staff or students.

Our Hokusai Acoustic Panels are manufactured in the UK and are all made to order. We use hardwearing materials that will stand the test of time and also meet with stringent fire regulations so you can be sure that our products are safe for use. The cloth we have selected is a 100% recycled polyester which has a high abrasion resistance so even if the acoustic panels are to be placed in high traffic areas or in areas that will be subject to a lot of rubbing or being bumped into the cloth will not bobble or fade.



S R L



Advanced Acoustics

enquiries@advancedacoustics-uk.com
+44 (0) 1623 643 609

Xtreme Plus - Stretch FR fabric

No piling 10 year guarantee
total floor usage



Advanced Acoustics is a registered company No. 07049694 - VAT # 980071035
Unit B Maunside, Greenlines Industrial Estate, Mansfield, Nottinghamshire, NG18 5GU